

 **This page is not fully translated, yet. Please help completing the translation.**  
(remove this paragraph once the translation is finished)

## Bearbeiten/Erstellen einer Aufgabe

Wenn Du eine Aufgabe erstellen oder bearbeiten möchtest, kann dies hier geschehen. Füge einfach in der Liste "Aktuelle Aufgaben" eine Zeile hinzu. Eine Aufgabe hat natürlich ein bestimmtes Format und müssen vom html-Tag "`<code>...</code>`" umschlossen sein. Die ersten vier Zeilen einer Aufgabe müssen die folgenden Schlüsselwörter enthalten:

```
Title:Title Name
Sex: Female T Male T
Require: rlock candle
Limits: Bondage Watersport
```

Die möglichen Schlüsselwörter für "Limit" und "Require" findest Du weiter unten.

### Aktuelle Aufgaben:

- [waxnipples](#) - Eine Beispielaufgabe zum Bearbeiten
- [hold your breath](#) - [ready]
- [silk it](#) - Tanzen und mehr
- [lines](#) - Einfach schreiben [ready?]
- [eyes](#) - Ein paar Versuche mit einer längeren Aufgabe [ready?]
- [top ten chastity](#) - Anreiz für besser Stimmung
- **shower time** - Spaß unter der Dusche [added]
- [feel lucky](#) - Das wird eine wirklich nette Aufgabe werden...

### Testen einer Aufgabe

Du kannst einer der Aufgaben ausprobieren, indem Du sie in der Nachrichtenzentrale auswählst ("Test task"). Das austesten einer Aufgabe hat keine Auswirkung auf die Stimmung, insbesondere zieht das Abbrechen einer Aufgabe keine Konsequenzen nach sich, die Ergebnisse (Bilder) verbleiben aber im System.

### Veröffentlichen einer Aufgabe

Wenn Sie eine Aufgabe fühlen, ist bereit, um dem System hinzugefügt werden, hinzufügen [bereit], um die Aufgabe in der Liste oben. Es wird dann von einem Moderator geprüft und kann mit der "zufälligen Aufgaben" -Liste hinzugefügt werden.

*Beachten Sie, wie es ist ein Fehler passende Grenzen ist gerade jetzt in Aufgaben keine veröffentlicht werden, bis diese sortiert ist. Hoffnung zu arbeiten, von Anfang September sollte so nicht die Menschen davon abhalten, sie trotzdem zu schaffen; -)*

# Task Script

## Beispiel Codesegmente

### Simple Example

```
;This is a comment line. It doesn't do anything, but makes this code easier
to read!
show:I'm going to be nice and give you a chance to cum today. First, get
naked and fetch a pair of handcuffs.
wait:60
cam:1
button:Naked and ready, Mistress
show:Good, let's get started. Play with yourself, get yourself nice and
excited for me.
sound:bell.wav
wait:30
```

### Loops & Random Numbers

```
;Sets TEMP1 to any number from 1 to 10
settemp1:Math.floor((Math.random() * 10) + 1)
loop:TEMP1
sound:bell.wav
wait:3
endloop
```

### Take Picture Randomly

```
;This fragment can replace simple wait+cam fragments to make them less
predictable
;Change both '60's to be the delay before moving to the next section
settemp1:Math.floor((Math.random() * 60) + 1)
wait:TEMP1
cam:1
wait:60-TEMP1
```

### Differentiate Gender

```
if:(FEMALE)
settemp1:(girl)
fi
if:(!FEMALE)
settemp1:(boy)
fi
show:Good TEMP1! :)
```

## A-Z of Script commands

Except for comment lines all commands are on a new line with a colon between the command and the parameter

Command	Parameter	Description
<b>asktext</b>	prompt text	Text input box - result saved in LASTASK
<b>button</b>	Button Text	Button
<b>cam</b>	<i>Not used</i>	Take picture with camera
<b>choice</b>	option1,option2....	Create button for each option selected button saved in LASTASK
<b>image</b>	image file name	Display image file e.g. lib_image/02.jpg
<b>image</b>	1	Display a key compromising image of user
<b>log</b>	Text to write	Write text as if user put in message system
<b>show</b>	Display Text	
<b>sound</b>	Sound file to play	e.g. bell.wav
<b>trigger</b>	device:(delay in seconds)	trigger remote device e.g. trigger:vibe:12
<b>wait</b>	number of seconds to wait	
<b>web</b>	<a href="http://www.google.com">http://www.google.com</a>	open page in new window

### Flow control

```
if:(condition)
fi
loop:5 - loops the var LOOPVAR 1..5
endloop
settemp1:(expression) - set TEMP1 to result of expression
```

### Variables

Can be used in all parameters and are swapped for value

```
LEVEL
MOOD
TEMP1
LASTASK - result of last asktext
FEMALE - returns true if Female, false if Male
```

### Require

Valid words for use in the Require line are as follows (1st 3 are remote devices - last one only allowed to run if sub does not have cum restrictions):

```
restim rshock rlock chastity buttplug candle crop dildo estim gag handcuffs
humbler nippleclamps nochaste cancum
```

## Limits

Valid words for use in the limits line are as follows (in the same order as options):

Anal Bondage Chastity Cum Financial Outdoor Exhibitionism Orgasm Pain-G  
Pain-N Sissy Shaving Watersport

From:

<https://play-link.com/wiki/> - **PlayLink**

Permanent link:

[https://play-link.com/wiki/doku.php?id=de:task\\_editor&rev=1485271950](https://play-link.com/wiki/doku.php?id=de:task_editor&rev=1485271950)



Last update: **2017/01/24 16:32**