

```

Title:just_testing
Sex: Female F Male F Trans F
Require: chastity nochaste cancum restim rshock rlock buttplug candle crop
dildo estim gag handcuffs humbler nippleclamps
Limits: Pain-N Sissy Info Shaving Watersport
; CornerTimeB with Runa

; TODO:
; - maybe add a better farewell, at least ask if want to see again?

;=====
;===== defining variables =====
;=====
assign:currentTask:'CornerTimeB'
assign:taskName:'CornerTimeB'
use:gen
call:taskQueue2Init
capture:hide

assign:hasPenis:false
if: HAS_PENIS
  assign:hasPenis:true
fi:

assign:withStroking:true
if: INCHASTITY
  assign:withStroking:false
fi:

assign:flashProbability:40
assign:totalMinutes:8
if: L_PAIN_N == 4
  assign:totalMinutes:$totalMinutes+2
fi:
if: L_PAIN_N == 5
  assign:totalMinutes:$totalMinutes+2
fi:
if: HARDCORE
  assign:totalMinutes:$totalMinutes+2
fi:

; potentially minus 1 min:
assign:agreedToSpankingTits:false

; potentially minus 1 - 3 min:
assign:agreedToNippleClamps:false
assign:nippleClampType:'NONE'

; potentially minus 1 min:
assign:agreedToSideNippleClamps:false

```

```

; potentially minus 1 min: (for girls: pussy lips and minus 2 min)
assign:agreedToClampBalls:false
assign:agreedToClampPussyLips:false

assign:genital1:'pussy'
assign:genital2:'pussy'
if: hasPenis
  assign:genital1:'cock'
  assign:genital2:'cock'
fi:
assign:strokeCock:'rub her pussy'
if: hasPenis
  assign:strokeCock:'stroke the cock'
fi:
assign:previousPicWasFlashing:false
assign:secPerRound:15
assign:secPerIntroRound:10
assign:flashingCounter:0
assign:tookPic:false
;=====
;===== defining functions =====
;=====
;-----
function:offerSpankingTits
;-----
  image:taskimg/sets/runa/runa_blue_bikini12.jpg
  show:So first, would you agree to spank your tits until they are
noticeably red? If so, I would reduce your corner time by 1 minute.
  choice:Yes I will spank them,No please don't
  if: LASTASK == 1
    image:taskimg/sets/runa/runa_blue_bikini7.jpg
    assign:agreedToSpankingTits:true
    assign:totalMinutes:$totalMinutes-1
    show:Oh that's awesome! Then spank your tits now. Once they are
significantly red, show them to me.
    button:Picture (5s delay)
    show:5...
    wait:1
    show:4...
    wait:1
    show:3...
    wait:1
    show:2...
    wait:1
    show:1...
    wait:1
    show:0!
    cam:
    wait:1
    sound:bell.wav

```

```

    log:The tits have to be noticeably red from a spanking.
  else:
    image:taskimg/sets/runa/runa_blue_bikini11_3.jpg
    show:That's ok, spanking your tits is quite painful I guess. And it
would only give you one minute less. So I totally understand.
    button:Thank you, Runa
  fi:
end:

;-----
function:offerNippleClamps
;-----
  image:taskimg/sets/runa/runa_blue_bikini13.jpg
  show:How about some nipple clamps? Are you willing to attach one of the
following to the centers of your nipples?<ul><li>clothespins = -1
min</li><li>clover clamps = -2 min</li><li>stronger than just clover clamps,
e.g. clover clamps with weights attached = -3 min</li></ul>
  choice:Clothespins,Clover Clamps,Stronger than that,No please no clamps
  if: LASTASK == 4
    image:taskimg/sets/runa/runa_blue_bikini3.jpg
    show:I understand. Wearing nipple clamps can be painful if you have to
do it for a whole corner time.
    button:Thank you, Runa
  else:
    image:taskimg/sets/runa/runa_blue_bikini6.jpg
    assign:agreedToNippleClamps:true
    if: LASTASK == 1
      show:Really? That's great! Then attach a clothespin to the center of
each nipple now!
      assign:totalMinutes:$totalMinutes-1
      assign:nippleClampType:'CLOTHESPINS'
    fi:
    if: LASTASK == 2
      show:Really? That's great! Then attach the clover clamps to the
centers of your nipples now!
      assign:totalMinutes:$totalMinutes-2
      assign:nippleClampType:'CLOVERCLAMPS'
    fi:
    if: LASTASK == 3
      show:Really? That's great! Then attach those clamps to the centers of
your nipples now!
      assign:totalMinutes:$totalMinutes-3
      assign:nippleClampType:'STRONGER'
    fi:
    button:Clamps are attached
  fi:
end:

;-----
function:offerSideNippleClamps
;-----

```

```

if: $agreedToNippleClamps
  image:taskimg/sets/runa/runa_blue_bikini14.jpg
  show:Now that the centers of your nipples are clamped. Would you agree
to adding one clothespin left and right of each nipple in addition to that
to reduce the time by another minute? That would be 4 additional
clothespins.
  choice:Yes Runa,No please no more clamps
  if: LASTASK == 1
    image:taskimg/sets/runa/runa_blue_bikini5.jpg
    assign:totalMinutes:$totalMinutes-1
    assign:agreedToSideNippleClamps:true
    show:Oh I'm loving it! Then please add one clothespin directly left
and right of the center of each nipple.
    button:Clothespins attached
  else:
    image:taskimg/sets/runa/runa_blue_bikini3.jpg
    show:That's fine. Your nipples are probably already in enough pain.
And it will certainly not get better over time.
    button:Thank you, Runa
  fi:
fi:
end:

```

```

;-----
function:offerBallClamps
;-----
  image:taskimg/sets/runa/runa_blue_bikini11_2.jpg
  show:Your balls look quite boring. Would you add 2 clothespins to them to
reduce your corner time by 1 minute?
  choice:Yes Runa,No please not my balls
  if: LASTASK == 1
    image:taskimg/sets/runa/runa_blue_bikini7.jpg
    assign:totalMinutes:$totalMinutes-1
    assign:agreedToClampBalls:true
    show:You are the best! Then please attach two clothespins somewhere to
your balls.
    button:Clothespins attached
  else:
    image:taskimg/sets/runa/runa_blue_bikini11_3.jpg
    show:I understand, I assume that balls are quite sensitive.
    button:Thank you, Runa
  fi:
end:

```

```

;-----
function:offerPussyLipsClamps
;-----
  image:taskimg/sets/runa/runa_blue_bikini11_2.jpg
  show:Your pussy looks quite empty. We are not going to fill it though. But
would you attach a clothespin to each pussy lip to reduce your corner time
by 2 minutes?

```

```

choice:Yes Runa,No please not my pussy
if: LASTASK == 1
  image:taskimg/sets/runa/runa_blue_bikini7.jpg
  assign:totalMinutes:$totalMinutes-1
  assign:agreedToClampPussyLips:true
  show:You are the best! Then please attach a clothespin to each pussy
lip.
  button:Clothespins attached
else:
  image:taskimg/sets/runa/runa_blue_bikini11_3.jpg
  show:I understand, pussy lips are quite sensitive.
  button:Thank you, Runa
fi:
end:

;-----
function:showPicAndWaitOneRound
;-----
  settemp1:Math.floor((Math.random() * 100) + 1)
  if: TEMP1 < $flashProbability && !$previousPicWasFlashing
    assign:flashingPussy:true
    assign:flashingCounter:$flashingCounter+1
    assign:previousPicWasFlashing:true
  else:
    assign:flashingPussy:false
    assign:previousPicWasFlashing:false
  fi:
  if: $flashingPussy
    call:showAFlashingPic
  else:
    call:showAHidingPic
  fi:
  wait:($secPerRound-3)
  settemp1:Math.floor((Math.random() * 100) + 1)
  if: TEMP1 < $camProbability || ($forcePictureRound == $round && !$tookPic)
    cam:
    assign:tookPic:true
    if: $withStroking
      if: $flashingPussy
        log:has to $strokeCock
      else:
        log:hands not touching the genitals
    fi:
  fi:
  wait:3
end:

;-----
function:showAFlashingPic
;-----

```

```
    if: $wearingPanties
      call:showFlashingPicWithPanties
    else:
      call:showFlashingPicWithoutPanties
    fi:
end:

;-----
function:showAHidingPic
;-----
    if: $wearingPanties
      call:showHidingPicWithPanties
    else:
      call:showHidingPicWithoutPanties
    fi:
end:

;-----
function:showFlashingPicWithPanties
;-----
    settemp1:Math.floor((Math.random() * 5) + 1)
    if: TEMP1 == 1
      image:taskimg/sets/runa/runa_blue_bikini49.jpg
    fi:
    if: TEMP1 == 2
      image:taskimg/sets/runa/runa_blue_bikini50.jpg
    fi:
    if: TEMP1 == 3
      image:taskimg/sets/runa/runa_blue_bikini50_1.jpg
    fi:
    if: TEMP1 == 4
      image:taskimg/sets/runa/runa_blue_bikini52.jpg
    fi:
    if: TEMP1 == 5
      image:taskimg/sets/runa/runa_blue_bikini53.jpg
    fi:
end:

;-----
function:showHidingPicWithPanties
;-----
    settemp1:Math.floor((Math.random() * 12) + 1)
    if: TEMP1 == 1
      image:taskimg/sets/runa/runa_blue_bikini25.jpg
    fi:
    if: TEMP1 == 2
      image:taskimg/sets/runa/runa_blue_bikini26.jpg
    fi:
    if: TEMP1 == 3
      image:taskimg/sets/runa/runa_blue_bikini28.jpg
    fi:
```

```
if: TEMP1 == 4
  image:taskimg/sets/runa/runa_blue_bikini37.jpg
fi:
if: TEMP1 == 5
  image:taskimg/sets/runa/runa_blue_bikini40.jpg
fi:
if: TEMP1 == 6
  image:taskimg/sets/runa/runa_blue_bikini41.jpg
fi:
if: TEMP1 == 7
  image:taskimg/sets/runa/runa_blue_bikini42.jpg
fi:
if: TEMP1 == 8
  image:taskimg/sets/runa/runa_blue_bikini45.jpg
fi:
if: TEMP1 == 9
  image:taskimg/sets/runa/runa_blue_bikini46.jpg
fi:
if: TEMP1 == 10
  image:taskimg/sets/runa/runa_blue_bikini48.jpg
fi:
if: TEMP1 == 11
  image:taskimg/sets/runa/runa_blue_bikini51.jpg
fi:
if: TEMP1 == 12
  image:taskimg/sets/runa/runa_blue_bikini51_1.jpg
fi:
end:

;-----
function:showFlashingPicWithoutPanties
;-----
settemp1:Math.floor((Math.random() * 7) + 1)
if: TEMP1 == 1
  image:taskimg/sets/runa/runa_blue_bikini55.jpg
fi:
if: TEMP1 == 2
  image:taskimg/sets/runa/runa_blue_bikini56.jpg
fi:
if: TEMP1 == 3
  image:taskimg/sets/runa/runa_blue_bikini58_2.jpg
fi:
if: TEMP1 == 4
  image:taskimg/sets/runa/runa_blue_bikini59_3.jpg
fi:
if: TEMP1 == 5
  image:taskimg/sets/runa/runa_blue_bikini67.jpg
fi:
if: TEMP1 == 6
  image:taskimg/sets/runa/runa_blue_bikini71.jpg
fi:
```

```

    if: TEMP1 == 7
      image:taskimg/sets/runa/runa_blue_bikini72.jpg
    fi:
end:

;-----
function:showHidingPicWithoutPanties
;-----
  settemp1:Math.floor((Math.random() * 6) + 1)
  if: TEMP1 == 1
    image:taskimg/sets/runa/runa_blue_bikini54.jpg
  fi:
  if: TEMP1 == 2
    image:taskimg/sets/runa/runa_blue_bikini54_4.jpg
  fi:
  if: TEMP1 == 3
    image:taskimg/sets/runa/runa_blue_bikini57.jpg
  fi:
  if: TEMP1 == 4
    image:taskimg/sets/runa/runa_blue_bikini60.jpg
  fi:
  if: TEMP1 == 5
    image:taskimg/sets/runa/runa_blue_bikini62.jpg
  fi:
  if: TEMP1 == 6
    image:taskimg/sets/runa/runa_blue_bikini63.jpg
  fi:
end:

;=====
;===== start of the task =====
;=====

image:taskimg/sets/runa/runa_blue_bikini3.jpg
show:Hey, $snick! It's me, Runa! I don't really want to use you right now,
so you will do a corner time instead. First get naked!
if: '$recentlyFinishedATaskWithRuna' == 'TRUE'
  show:Hey, $snick! Great that you are back! I don't really want to use you
right now, so you will do a corner time instead. First get naked!
fi:
if: '$recentlyFinishedATaskWithRuna' == 'TRUE' && '$lastTaskWithRuna' ==
'CornerTimeB'
  show:Hey, $snick! Having you do a corner time was actually quite fun, so
you'll do it again. First get naked!
fi:
button:I'm naked, Runa
image:taskimg/sets/runa/runa_blue_bikini1.jpg
show:You will have to stand there for some time. But you know that I'm a
nice person, so I will allow you to trade some pain in return for a time
reduction. I will make several offers to you, and each time you agree to
one, I will reduce your time by a little.

```

```

button:Thank you, Runa
call:offerSpankingTits
call:offerNippleClamps
call:offerSideNippleClamps
if: !$withStroking
    ; don't punish for being in chastity
    assign:totalMinutes:$totalMinutes-2
fi:
if: hasPenis
    call:offerBallClamps
else:
    call:offerPussyLipsClamps
fi:

assign:alsoVerifyThat:''
if: !$agreedToSpankingTits && !$agreedToNippleClamps &&
!$agreedToSideNippleClamps && !$agreedToClampBalls &&
!$agreedToClampPussyLips
    image:taskimg/sets/runa/runa_blue_bikini12_2.jpg
    show:Well not agreeing to anything is a little bit boring and will result
in a very long corner time. But if it's that what you want, that's what you
are going to get. I don't want you to actually stand in a corner though.
    button:I'm sorry, Runa
else:
    image:taskimg/sets/runa/runa_blue_bikini5.jpg
    show:I think that's enough decoration, so let's proceed. I don't want you
to actually stand in a corner though.
    button:Thank you, Runa

    if: $agreedToNippleClamps || $agreedToSideNippleClamps ||
$agreedToClampBalls || $agreedToClampPussyLips
        assign:alsoVerifyThat:' Also verify that<ul>'
        if: '$nippleClampType' == 'CLOTHESPINS'
            assign:alsoVerifyThat:'$alsoVerifyThat<li>there is a clothespin
attached to the center of each nipple</li>'
            fi:
            if: '$nippleClampType' == 'CLOVERCLAMPS'
                assign:alsoVerifyThat:'$alsoVerifyThat<li>there is a clover clamp
attached to the center of each nipple</li>'
                fi:
                if: '$nippleClampType' == 'STRONGER'
                    assign:alsoVerifyThat:'$alsoVerifyThat<li>there is something stronger
than a clover clamp attached to the center of each nipple (e.g. a stronger
type of clamp or a clover clamp with weights)</li>'
                    fi:
                    if: $agreedToSideNippleClamps
                        assign:alsoVerifyThat:'$alsoVerifyThat<li>there is a clothespin
directly left end right of each nipple</li>'
                        fi:
                        if: $agreedToClampBalls
                            assign:alsoVerifyThat:'$alsoVerifyThat<li>there are two clothespins

```

```

attached to the balls</li>'
  fi:
  if: $agreedToClampPussyLips
    assign:alsoVerifyThat:'$alsoVerifyThat<li>there is a clothespin
attached to each pussy lip</li>'
  fi:
  assign:alsoVerifyThat:'$alsoVerifyThat</ul>'
  fi:
fi:

if: $withStroking
  log:In all of the following pictures, the slave has to be visible from
tits to $genital1. In some pictures the slave has to $strokeCock, in others
the hands are not allowed to touch the genitals (there will be a log
message).$alsoVerifyThat
else:
  log:In all of the following pictures, the slave has to be visible from
tits to $genital1 with hands not touching the $genital2.$alsoVerifyThat
  fi:

image:taskimg/sets/runa/runa_blue_bikini11.jpg
assign:strokeYourCock:'rub your own pussy'
if: hasPenis
  assign:strokeYourCock:'stroke your cock'
  fi:
if: $withStroking
  assign:keepYourHandsAtYourSideAndStroke:'Keep your hands away from your
$genital1, but whenever you can see my pussy, you have to $strokeYourCock!'
else:
  assign:keepYourHandsAtYourSideAndStroke:'Keep your hands away from your
$genital1, and count how often you can see my pussy!'
  fi:
show:Stand in front of me the whole time, so that I can see you from tits to
$genital1. And focus on me! To guarantee that you are focusing on me, I will
flash my pussy to you from time to time. $keepYourHandsAtYourSideAndStroke
But only if you can actually see my pussy, what I'm showing to you right now
would not be enough.<p>After clicking the button, you have 5 seconds to get
into position until I'll start the counter.
button:Getting into position
if: $withStroking
  show:<i>Stay in position. And remember to $strokeYourCock whenever I flash
my pussy to you, otherwise keep your hands away from your $genital1!</i>
else:
  show:<i>Stay in position with hands away from your $genital1. And remember
to count how often I'm flashing my pussy to you.</i>
  fi:

if: $totalMinutes < 2
  assign:totalMinutes:2
  fi:
; limit the time if clamps are attached

```

```
if: ($agreedToNippleClamps || $agreedToSideNippleClamps ||
$agreedToClampBalls || $agreedToClampPussyLips) && $totalMinutes > 12
  assign:totalMinutes:13
fi:

image:taskimg/sets/runa/runa_blue_bikini16.jpg
wait:$secPerIntroRound
image:taskimg/sets/runa/runa_blue_bikini17.jpg
wait:$secPerIntroRound
image:taskimg/sets/runa/runa_blue_bikini19_2.jpg
wait:$secPerIntroRound
image:taskimg/sets/runa/runa_blue_bikini24.jpg
wait:$secPerIntroRound
assign:initialSeconds:4*$secPerIntroRound
assign:totalRounds:Math.ceil((( $totalMinutes*60) -
$initialSeconds)/$secPerRound)
assign:forcePictureRound:Math.floor((Math.random() * $totalRounds) + 1)

; on average take 4 pictures
assign:camProbability:(400/$totalRounds)
assign:round:1
assign:wearingPanties:true
label:startOfStandingLoop
call:showPicAndWaitOneRound
if: $round >= ($totalRounds*(2/3))
  if:$wearingPanties && !$previousPicWasFlashing
    image:taskimg/sets/runa/runa_blue_bikini53.jpg
    assign:flashingCounter:$flashingCounter+1
    wait:8
  fi:
  assign:wearingPanties:false
fi:
if: $round < $totalRounds
  assign:round:$round+1
  goto:startOfStandingLoop
fi:

sound:bell.wav
if: $withStroking
  image:taskimg/sets/runa/runa_blue_bikini71.jpg
  show:Time's up! That was fun, I hope we can do it again some time. See you
soon, $snick!
else:
  image:taskimg/sets/runa/runa_blue_bikini60.jpg
  asknumber:Time's up! So how often did I flash my pussy to you?
  image:taskimg/sets/runa/runa_blue_bikini71.jpg
  if: LASTASK == $flashingCounter
    show:Correct, well done! That was fun, I hope we can do it again some
time. See you soon, $snick!
  else:
    show:No, that's not correct, I flashed my pussy $flashingCounter times
```

to you! It's a little insulting though that you didn't pay attention to my pussy. I think I'll file a report on you for that. But anyways, this was still a lot of fun, so I hope we can do it again some time. See you soon, \$snick!

peerreview:false

log:The slave didn't pay attention and will get reported for this. Since the slave will already get punished, please give a standard rating of 6.

assign:report:'The slave insulted my, by not paying attention to my pussy.
--Runa'

call:global_fileAReport

fi:

fi:

button:See you soon, Runa

call:global_saveLastTaskWithRunaVariables

call:taskQueue2Finish

;

From:

<https://play-link.com/wiki/> - **PlayLink**

Permanent link:

https://play-link.com/wiki/doku.php?id=tasks:just_testing



Last update: **2026/03/14 21:48**