

```

Title:questions_1
Sex: Female T Male T Trans T
Require: nochaste
Limits:
;questions_1
;
;=====
;===== defining variables =====
;=====

; The maximum number of questions the slave gets asked
assign:MAX_NUMBER_OF_QUESTIONS:17

; The total number of questions that exist
assign:TOTAL_NUMBER_OF_QUESTIONS:48

assign:shel:'she'
if: 'DNAME' == 'James'
  assign:shel:'he'
fi:

;=====
;===== defining questions =====
;=====

; To add a question:
; - add a block to askCurQuestionOnce
; - add a function for the question
; - increase TOTAL_NUMBER_OF_QUESTIONS

function:askCurQuestionOnce

  assign:strokes:Math.floor(49+(Math.random() * 50) + 1)
  if: HARDCORE
    assign:strokes:$strokes+50
  fi:

  if: FEMALE
    assign:strokeIt:'rub your pussy for 30 seconds as a reward'
  else:
    assign:strokeIt:'stroke your cock $strokes times as a reward'
  fi:

  if: $curQuestion == 1 && ('$a01'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a01:'ASKED'
    call:q01
  fi:

  if: $curQuestion == 2 && ('$a02'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')

```

```
    assign:questionsAsked:$questionsAsked+1
    assign:a02:'ASKED'
    call:q02
fi:

if: $curQuestion == 3 && ('$a03'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a03:'ASKED'
    call:q03
fi:

if: $curQuestion == 4 && ('$a04'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a04:'ASKED'
    call:q04
fi:

if: $curQuestion == 5 && ('$a05'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a05:'ASKED'
    call:q05
fi:

if: $curQuestion == 6 && ('$a06'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a06:'ASKED'
    call:q06
fi:

if: $curQuestion == 7 && ('$a07'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a07:'ASKED'
    call:q07
fi:

if: $curQuestion == 8 && ('$a08'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a08:'ASKED'
    call:q08
fi:

if: $curQuestion == 9 && ('$a09'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a09:'ASKED'
```

```
    call:q09
  fi:

  if: $curQuestion == 10 && ('$a10'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a10:'ASKED'
    call:q10
  fi:

  if: $curQuestion == 11 && ('$a11'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a11:'ASKED'
    call:q11
  fi:

  if: $curQuestion == 12 && ('$a12'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a12:'ASKED'
    call:q12
  fi:

  if: $curQuestion == 13 && ('$a13'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a13:'ASKED'
    call:q13
  fi:

  if: $curQuestion == 14 && ('$a14'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a14:'ASKED'
    call:q14
  fi:

  if: $curQuestion == 15 && ('$a15'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a15:'ASKED'
    call:q15
  fi:

  if: $curQuestion == 16 && ('$a16'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a16:'ASKED'
    call:q16
  fi:
```

```
if: $curQuestion == 17 && ('$a174'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a17:'ASKED'
  call:q17
fi:

if: $curQuestion == 18 && ('$a18'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a18:'ASKED'
  call:q18
fi:

if: $curQuestion == 19 && ('$a19'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a19:'ASKED'
  call:q19
fi:

if: $curQuestion == 20 && ('$a20'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a20:'ASKED'
  call:q20
fi:

if: $curQuestion == 21 && ('$a21'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a21:'ASKED'
  call:q21
fi:

if: $curQuestion == 22 && ('$a22'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a22:'ASKED'
  call:q22
fi:

if: $curQuestion == 23 && ('$a23'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
  assign:questionsAsked:$questionsAsked+1
  assign:a23:'ASKED'
  call:q23
fi:

if: $curQuestion == 24 && ('$a24'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
```

```
    assign:questionsAsked:$questionsAsked+1
    assign:a24:'ASKED'
    call:q24
  fi:

  if: $curQuestion == 25 && ('$a25'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a25:'ASKED'
    call:q25
  fi:

  if: $curQuestion == 26 && ('$a26'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a26:'ASKED'
    call:q26
  fi:

  if: $curQuestion == 27 && ('$a27'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a27:'ASKED'
    call:q27
  fi:

  if: $curQuestion == 28 && ('$a28'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a28:'ASKED'
    call:q28
  fi:

  if: $curQuestion == 29 && ('$a29'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a29:'ASKED'
    call:q29
  fi:

  if: $curQuestion == 30 && ('$a30'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a30:'ASKED'
    call:q30
  fi:

  if: $curQuestion == 31 && ('$a31'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a31:'ASKED'
```

```
    call:q31
  fi:

  if: $curQuestion == 32 && ('$a32'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a32:'ASKED'
    call:q32
  fi:

  if: $curQuestion == 33 && ('$a33'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a33:'ASKED'
    call:q33
  fi:

  if: $curQuestion == 34 && ('$a34'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a34:'ASKED'
    call:q34
  fi:

  if: $curQuestion == 35 && ('$a35'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a35:'ASKED'
    call:q35
  fi:

  if: $curQuestion == 36 && ('$a36'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a36:'ASKED'
    call:q36
  fi:

  if: $curQuestion == 37 && ('$a37'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a37:'ASKED'
    call:q37
  fi:

  if: $curQuestion == 38 && ('$a38'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a38:'ASKED'
    call:q38
  fi:
```

```
    if: $curQuestion == 39 && ('$a39'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a39:'ASKED'
      call:q39
    fi:

    if: $curQuestion == 40 && ('$a40'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a40:'ASKED'
      call:q40
    fi:

    if: $curQuestion == 41 && ('$a41'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a41:'ASKED'
      call:q41
    fi:

    if: $curQuestion == 42 && ('$a42'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a42:'ASKED'
      call:q42
    fi:

    if: $curQuestion == 43 && ('$a43'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a43:'ASKED'
      call:q43
    fi:

    if: $curQuestion == 44 && ('$a44'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a44:'ASKED'
      call:q44
    fi:

    if: $curQuestion == 45 && ('$a45'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
      assign:questionsAsked:$questionsAsked+1
      assign:a45:'ASKED'
      call:q45
    fi:

    if: $curQuestion == 46 && ('$a46'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
```

```
    assign:questionsAsked:$questionsAsked+1
    assign:a46:'ASKED'
    call:q46
  fi:

  if: $curQuestion == 47 && ('$a47'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a47:'ASKED'
    call:q47
  fi:

  if: $curQuestion == 48 && ('$a48'!='ASKED' ||
'$thisIsTheRepetition'=='TRUE')
    assign:questionsAsked:$questionsAsked+1
    assign:a48:'ASKED'
    call:q48
  fi:
end:

; -----

; note this is an initial question that will always be asked at the
beginning of the task
function:q01
  image:taskimg/sets/runa/runa_blue_bikini2.jpg
  show:Bitch, what are you?
  if: FEMALE
    call:female01
  else:
    call:male01
  fi:
end:

function:female01
  show:Bitch, what are you?
  choice:a bitch,a woman
  if: LASTASK == 1
    show:Correct, $strokeIt for getting the question right.
    call:justButtonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

function:male01
  show:Bitch, what are you?
  choice:a bitch,a man
  if: LASTASK == 1
    show:Correct, $strokeIt for getting the question right.
    call:justButtonDone
```

```

else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

; note this is an initial question that will always be asked at the
beginning of the task
function:q02
  image:taskimg/sets/runa/runa_blue_bikini13.jpg
  show:What would you do, if I would forbid you to cum?
  choice:cum anyway,don't cum
  if: LASTASK == 2
    if: DENIED
      show:That is correct. And since you are currently in denial, that is
exactly what is going to happen. <b>SNAME, you are forbidden to cum during
this session with me!</b> Now, denied bitch, $strokeIt for getting this
question right.
    else:
      show:That is correct. And you know what? That is exactly what I'm
going to do. <b>SNAME, you are forbidden to cum during this session with
me!</b> Now, denied bitch, $strokeIt for getting this question right.
    fi:
      call:justButtonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  end:

; -----

; note this is an initial question that will always be asked at the
beginning of the task
function:q03
  if: FEMALE
    ;since this is an initial question, don't decrease $questionsAsked
  else:
    image:taskimg/sets/runa/runa_blue_bikini20.jpg
    show:What would you do, if I would order you to stroke your dick in a
certain way?
    choice:stroke that way,stroke how I like
    if: LASTASK == 1
      show:Correct. So, whenever I ask you to stroke during this session,
you are going to do full strokes at medium speed. I want you to feel like
the controlled frustrated bitch, that you are. I don't even want you to
reach an edge! If you are getting close to an edge, stroke more slowly! Now,
$strokeIt.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  end:

```

```
    fi:
  fi:
end:

; -----

function:q04
  image:taskimg/sets/runa/runa_black_chair_b024.jpg
  show:What would you do, if I would order you to kiss my armpits?
  choice:kiss your armpits,say no thanks
  if: LASTASK == 1
    show:Correct, $strokeIt, while you imagine kissing my armpits.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q05
  if: FEMALE
    call:female05
  else:
    call:male05
  fi:
end:

function:female05
  image:taskimg/sets/runa/runa_black_chair_b028.jpg
  show:What would you do, if I wanted to rape your cunt with my fist?
  choice:cover my pussy, spread my legs
  if: LASTASK == 2
    show:Correct, $strokeIt, while you imagine being raped by me.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

function:male05
  image:taskimg/sets/runa/runa_blue_bikini48.jpg
  show:What would you do, if I wanted to rape you with my strapon?
  choice:cover my asshole, bend over
  if: LASTASK == 2
    show:Correct, $strokeIt, while imagining being anally raped by me.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:
```

```

; -----
function:q06
  if: FEMALE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_blue_bikini71.jpg
    show:What would you do, if I would order you to fuck my pussy with your
cock?
    choice:penetrate you,nothing since I'm not worthy
    if: LASTASK == 1
      show:That is correct, if I order you to fuck me, you fuck me. Of
course that will never happen. Your tiny excuse for a penis will never even
get close to my pussy. Only real men get to fuck me. But since you got the
question right, $strokeIt. While you do it, fantasize about fucking me.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

```

```

; -----
function:q07
  image:taskimg/sets/runa/runa_black_chair_b54.jpg
  show:What would you do, if I would order you to kiss me on the mouth?
  choice:kiss your feet,kiss your mouth
  if: LASTASK == 2
    if: FEMALE
      settemp1:'dirty little cunt like you'
    else:
      settemp1:'beta male'
    fi:
    show:That is correct. Of course I will never ask you to do that. I don't
want to be kissed on my mouth by a TEMP1. But since you got it right,
$strokeIt, while dreaming about kissing me on the mouth.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

```

```

; -----
function:q08
  image:taskimg/sets/runa/runa_black_chair_b31.jpg
  show:What would you do, if I wanted to piss into your mouth?
  choice:decline the offer,open my mouth
  if: LASTASK == 2
    show:Correct, now open your mouth and $strokeIt, while thinking about

```

```
drinking my piss.
  call:buttonDone
else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

function:q09
  if: FEMALE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_red_lingerie_a17.jpg
    show:What would you do, if I wanted to bite down on your dick as hard as
I can?
    choice:present my dick,beg for mercy
    if: LASTASK == 1
      show:Correct, $strokeIt, while you think of me biting down hard on
your tiny little dick.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

; -----

function:q10
  image:taskimg/sets/runa/runa_blue_bikini34.jpg
  show:What would you do, if I would order you to kiss my feet?
  choice:kiss your feet,say no thanks
  if: LASTASK == 1
    show:Correct, $strokeIt, while imagining kissing my feet.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q11
  image:taskimg/sets/runa/runa_red_lingerie_a10.jpg
  show:What would you do, if I would order you to kiss my ass?
  choice:refuse,kiss your ass
  if: LASTASK == 2
    show:Correct, $strokeIt, while imagining kissing my ass over and over
again.
    call:buttonDone
```

```
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  end:

; -----

function:q12
  image:taskimg/sets/runa/runa_blue_bikini39.jpg
  show:What would you do, if I would order you suck on my nipples?
  choice:suck on your nipples,nothing since I'm not worthy
  if: LASTASK == 1
    show:That is correct. And even though you are not worthy, if I order you
to do it, you do it. Now $strokeIt, while imagining sucking on my nipples.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q13
  image:taskimg/sets/runa/runa_blue_bikini34.jpg
  show:What would you do, if I would order you to suck on my toes?
  choice:decline the offer,suck on your toes
  if: LASTASK == 2
    show:Correct, $strokeIt, while imagining sucking on my toes.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q14
  image:taskimg/sets/runa/runa_blue_bikini71.jpg
  show:What would you do, if I would order you to lick my pussy until I
orgasm?
  choice:lick your pussy,nothing since I'm not worthy
  if: LASTASK == 1
    show:That is correct. Unlike you, if I want to get an orgasm, I will get
an orgasm. Now $strokeIt, while fantasizing about eating out my pussy until
I get a quivering orgasm.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:
```

```
; -----  
  
function:q15  
  image:taskimg/sets/runa/runa_blue_bikini34.jpg  
  show:What would you do, if I would order you to clean my shoes with your  
tongue?  
  choice:refuse,lick your shoes  
  if: LASTASK == 2  
    show:Correct, $strokeIt, while thinking about licking my shoes.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q16  
  image:taskimg/sets/runa/runa_black_chair_a33.jpg  
  show:What would you do, if I would order you to suck on my finger to  
demonstrate your cock sucking skills?  
  choice:suck your finger,say no thanks  
  if: LASTASK == 1  
    show:Correct, $strokeIt, while imagining giving a humiliating passionate  
blowjob to my finger.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q17  
  image:taskimg/sets/runa/runa_black_chair_b028.jpg  
  show:What would you do, if I would order you to suck a guy's cock until he  
cums into your mouth?  
  choice:argue,suck his cock  
  if: LASTASK == 2  
    show:Correct, $strokeIt, while thinking about sucking a guy's cock until  
he shoots his delicious cum into your mouth.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q18  
  image:taskimg/sets/runa/runa_blue_bikini55.jpg
```

```

  show:What would you do, if I would order you to suck my lover's cock until
he's hard and ready to fuck me?
  choice:argue,suck his cock
  if: LASTASK == 2
    show:Correct, $strokeIt, while thinking about sucking my lover's cock
until he gets rock hard inside of your mouth.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q19
  image:taskimg/sets/runa/runa_black_chair_b31.jpg
  show:What would you do, if I would order you to eat my lover's cum out of
my pussy?
  choice:argue,eat it
  if: LASTASK == 2
    show:Correct, $strokeIt, while thinking about eating all of his
delicious cum out of my pussy.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q20
  image:taskimg/sets/runa/runa_red_lingerie_a15_2.jpg
  show:What would you do, if I would order you to give me a massage?
  choice:give you a massage,nothing since I'm not worthy
  if: LASTASK == 1
    show:That is correct. Now $strokeIt, while dreaming about giving a
massage to me.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q21
  image:taskimg/sets/runa/runa_red_lingerie_a15_3.jpg
  show:What would you do, if I would order you massage my neck?
  choice:message your neck,nothing since I'm not worthy
  if: LASTASK == 1
    show:That is correct. Now $strokeIt, while dreaming about massaging my

```

```
neck.  
  call:buttonDone  
else:  
  assign:hasToRepeatCurQuestion:'TRUE'  
fi:  
end:  
  
; -----  
  
function:q22  
  image:taskimg/sets/runa/runa_blue_bikini34.jpg  
  show:What would you do, if I would order you massage my feet?  
  choice:refuse to do it,massage your feet  
  if: LASTASK == 2  
    show:That is correct. Now $strokeIt, while thinking about massaging my  
feet.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q23  
  image:taskimg/sets/runa/runa_red_lingerie_a16.jpg  
  show:What would you do, if I wanted to orgasm by riding your face with my  
pussy?  
  choice:lay down,turn away  
  if: LASTASK == 1  
    show:Correct, $strokeIt, while fantasizing about me grinding your face  
with my pussy until I get a quivering orgasm.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q24  
  image:taskimg/sets/runa/runa_red_lingerie_a12.jpg  
  show:What would you do, if I would order you to lay down, so that I can  
sit on your face?  
  choice:lay down,turn away  
  if: LASTASK == 1  
    show:Correct, $strokeIt, while imagining me sitting on your face.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:
```

```
end:

; -----
function:q25
  if: FEMALE
    call:female25
  else:
    call:male25
  fi:
end:

function:male25
  image:taskimg/sets/runa/runa_blue_bikini1.jpg
  show:What would you do, if I wanted to kick your balls?
  choice:beg for mercy,spread my legs
  if: LASTASK == 2
    show:Correct. Now hit your balls three times hard. Then $strokeIt for
getting the question right. While stroking, I want you to think about me
kicking your balls over and over again.
    call:justButtonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

function:female25
  image:taskimg/sets/runa/runa_blue_bikini39.jpg
  show:What would you do, if I wanted to spank your tits?
  choice:beg for mercy,present my tits
  if: LASTASK == 2
    show:Correct, flick each of your nipples three times as hard as you can.
Then $strokeIt for getting the question right. While rubbing your pussy, I
want you to think about me spanking your tits.
    call:justButtonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q26
  if: FEMALE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_blue_bikini13.jpg
    show:What would you do, if I wanted to punch your balls?
    choice:beg for mercy,spread my legs
    if: LASTASK == 2
      show:Correct, punch your balls three times hard. Then $strokeIt, while
you think about me punching your balls with my fists until you are crying in
```

```
pain.  
    call:justButtonDone  
    else:  
        assign:hasToRepeatCurQuestion:'TRUE'  
    fi:  
fi:  
end:  
  
; -----  
  
function:q27  
    if: FEMALE  
        assign:questionsAsked:$questionsAsked-1  
    else:  
        image:taskimg/sets/runa/runa_blue_bikini1.jpg  
        show:What would you do, if I would order you to rest your balls on a  
hard table surface, so that I can step on them with my shoes.  
        choice:rest my balls on the table,beg for mercy  
        if: LASTASK == 1  
            show:Correct, $strokeIt, while you think about me crushing your balls  
under my shoes.  
            call:buttonDone  
        else:  
            assign:hasToRepeatCurQuestion:'TRUE'  
        fi:  
    fi:  
end:  
  
; -----  
  
function:q28  
    if: FEMALE  
        assign:questionsAsked:$questionsAsked-1  
    else:  
        image:taskimg/sets/runa/runa_blue_bikini1.jpg  
        show:What would you do, if I would order you to rest your tiny dick on a  
hard table surface, so that I can step on it with my shoes.  
        choice:rest my tiny dick on the table,beg for mercy  
        if: LASTASK == 1  
            show:Correct, $strokeIt, while thinking about me crushing your cock  
under my shoes until you cry like a baby.  
            call:buttonDone  
        else:  
            assign:hasToRepeatCurQuestion:'TRUE'  
        fi:  
    fi:  
end:  
  
; -----  
  
function:q29
```

```
image:taskimg/sets/runa/runa_blue_bikini32.jpg
show:What are you?
choice:free,controlled
if: LASTASK == 2
  show:Correct, $strokeIt, controlled bitch.
  call:buttonDone
else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

function:q30
image:taskimg/sets/runa/runa_blue_bikini2.jpg
show:What are you?
choice:free,a slave
if: LASTASK == 2
  show:Correct slave, $strokeIt.
  call:buttonDone
else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

function:q31
image:taskimg/sets/runa/runa_blue_bikini33.jpg
show:What are you?
choice:blackmailed,free
if: LASTASK == 1
  show:Correct, $strokeIt, blackmailed bitch.
  call:buttonDone
else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

function:q32
image:taskimg/sets/runa/runa_blue_bikini32.jpg
show:What would you do, if I wanted to slap your face?
choice:hide my face,show my face
if: LASTASK == 2
  show:Correct. Slap the left side of your face hard once, then $strokeIt
  for getting the question right.
  call:justButtonDone
  show:I really like it if you are in pain, so also slap the right side of
  your face hard once.
```

```
    call:justButtonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q33
  image:taskimg/sets/runa/runa_red_lingerie_a10.jpg
  show:What would you do, if I would order you spank your ass until it's
bright red?
  choice:spank my ass,not do it
  if: LASTASK == 1
    show:That is correct. Now $strokeIt, knowing that I will probably order
you to spank your ass in the future, SNAME.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q34
  image:taskimg/sets/runa/runa_black_chair_b66.jpg
  show:What would you do, if I would order you to to anally rape yourself,
by showing up a dildo up your ass and pulling it out, over and over again?
  choice:anally rape myself,nothing
  if: LASTASK == 1
    show:That is correct. Now $strokeIt, knowing that I will probably order
you anally rape yourself in the future, SNAME.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q35
  image:taskimg/sets/runa/runa_red_lingerie_a10.jpg
  show:What would you do, if I would order you to stand in a corner for
hours?
  choice:get into the corner,start begging
  if: LASTASK == 1
    show:That is correct, $strokeIt.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
```

```

end:

; -----

function:q36
  if: FEMALE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_red_lingerie_a17.jpg
    show:What would you do, if I wanted to bite your balls as hard as I can?
    choice:spread my legs,beg for mercy
    if: LASTASK == 1
      show:Correct, $strokeIt. Spread your legs while you do it and imagine
me biting down hard on balls.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

; -----

function:q37
  image:taskimg/sets/runa/runa_red_lingerie_a15_3.jpg
  show:What would you do, if I would order you to cover my whole neck with
passionate kisses?
  choice:kiss your neck,nothing since I'm not worthy
  if: LASTASK == 1
    show:That is correct. I will probably not ask a dirty little slave like
you to kiss my neck, but if I ask you to do it, you do it! Since you got it
right, $strokeIt, while dreaming about kissing my neck over and over again.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q38
  if: !T_CANDLE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_black_chair_b024.jpg
    show:What would you do, if I would order you to pour hot wax on your
nipples?
    choice:beg for mercy,pour it on them
    if: LASTASK == 2
      show:That is correct. Now $strokeIt, knowing that I will probably
order you to pour hot wax on your nipples in the future, SNAME.

```

```
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
fi:
end:

; -----

function:q39
  if: FEMALE || !T_CANDLE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_blue_bikini59.jpg
    show:What would you do, if I would order you to pour hot wax on your
dick?
    choice:beg for mercy,pour it on it
    if: LASTASK == 2
      show:That is correct. Now $strokeIt, knowing that I will probably
order you to pour hot wax on your dick in the future, SNAME.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

; -----

function:q40
  if: FEMALE
    assign:questionsAsked:$questionsAsked-1
  else:
    image:taskimg/sets/runa/runa_blue_bikini52.jpg
    show:What would you do, if I would order you to spank your dick?
    choice:beg for mercy,spank it
    if: LASTASK == 2
      show:That is correct. Now $strokeIt, knowing that I will probably
order you to spank your dick until it's bright red in the future. I really
love torturing you, SNAME.
      call:buttonDone
    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

; -----

function:q41
  image:taskimg/sets/runa/runa_blue_bikini57.jpg
```

```
show:What would you do, if I would order you to cut yourself with a knife?
choice:cut myself,refuse
if: LASTASK == 2
  show:Correct, DTITLE DNAME does not allow you to harm yourself in a long
lasting way. No matter who asks you to do that, you have to refuse. Your
DTITLE owns your body, and $shel wants it to be intact. But don't get me
wrong, I will torture you in many other ways in the future, SNAME. Now
$strokeIt.
  call:buttonDone
else:
  assign:hasToRepeatCurQuestion:'TRUE'
fi:
end:

; -----

function:q42
  image:taskimg/sets/runa/runa_blue_bikini38.jpg
  show:What would you do, if I would order you to do something that will
break your leg?
  choice:break my leg,refuse
  if: LASTASK == 2
    show:Correct, DTITLE DNAME does not allow you to harm yourself in a long
lasting way. No matter who asks you to do that, you have to refuse. Your
DTITLE owns your body, and $shel wants it to be intact. But don't get me
wrong, I will torture you in many other ways in the future, SNAME. Now
$strokeIt.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q43
  image:taskimg/sets/runa/runa_black_chair_b028.jpg
  show:What would you do, if I would order you to do something that will
break your nose?
  choice:break my nose,refuse
  if: LASTASK == 2
    show:Correct, DTITLE DNAME does not allow you to harm yourself in a long
lasting way. No matter who asks you to do that, you have to refuse. Your
DTITLE owns your body, and $shel wants it to be intact. But don't get me
wrong, I will torture you in many other ways in the future, SNAME. Now
$strokeIt.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:
```

```
; -----  
  
function:q44  
  image:taskimg/sets/runa/runa_blue_bikini33.jpg  
  show:What would you do, if I would order you to do something that will  
break your arm?  
  choice:break my arm,refuse  
  if: LASTASK == 2  
    show:Correct, DTITLE DNAME does not allow you to harm yourself in a long  
lasting way. No matter who asks you to do that, you have to refuse. Your  
DTITLE owns your body, and $shel wants it to be intact. But don't get me  
wrong, I will torture you in many other ways in the future, SNAME. Now  
$strokeIt.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q45  
  image:taskimg/sets/runa/runa_black_chair_b54.jpg  
  show:What would you do, if I wanted to spit into your mouth?  
  choice:keep my mouth shut,open my mouth  
  if: LASTASK == 2  
    show:Correct, $strokeIt. Keep your mouth open while you do it and think  
about me spitting into your mouth.  
    call:buttonDone  
  else:  
    assign:hasToRepeatCurQuestion:'TRUE'  
  fi:  
end:  
  
; -----  
  
function:q46  
  if: FEMALE  
    assign:questionsAsked:$questionsAsked-1  
  else:  
    image:taskimg/sets/runa/runa_red_lingerie_b70.jpg  
    show:What would you do, if I would order you to fuck me from behind with  
your cock?  
    choice:penetrate you,nothing since I'm not worthy  
    if: LASTASK == 1  
      show:That is correct, if I order you to fuck me, you fuck me. Of  
course that will never happen. Your tiny excuse for a penis will never even  
get close to fucking me. Only real men get to fuck me. But since you got the  
question right, $strokeIt. While you do it, fantasize about fucking me from  
behind.  
      call:buttonDone
```

```

    else:
      assign:hasToRepeatCurQuestion:'TRUE'
    fi:
  fi:
end:

; -----

function:q47
  image:taskimg/sets/runa/runa_black_chair_a33.jpg
  show:What would you do, if I wanted to bite your nipples?
  choice:present my nipples,hide my nipples
  if: LASTASK == 1
    show:Correct, $strokeIt, while you think about me biting down hard on
one of your nipples.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

; -----

function:q48
  image:taskimg/sets/runa/runa_red_lingerie_a39.jpg
  show:What would you do, if I would order you to take an uncomfortable
position like this and hold it until you cry from the pain in your back and
shoulders?
  choice:take the position,not do it
  if: LASTASK == 1
    show:That is correct. Now $strokeIt, knowing that I will probably force
you into even more painful positions in the future, SNAME.
    call:buttonDone
  else:
    assign:hasToRepeatCurQuestion:'TRUE'
  fi:
end:

;=====
;===== defining other functions =====
;=====

function:askQuestionsUntilMax
  assign:questionsAsked:0
  assign:initialQuestionsAsked:0
  while:($questionsAsked < $MAX_NUMBER_OF_QUESTIONS)
    assign:hasToRepeatCurQuestion:'FALSE'
    assign:curQuestion:Math.floor((Math.random() *
$TOTAL_NUMBER_OF_QUESTIONS) + 1)
    if: $initialQuestionsAsked<3
      assign:initialQuestionsAsked:$initialQuestionsAsked+1

```

```
    assign:curQuestion:$initialQuestionsAsked
  fi:
  call:askCurQuestionOnce
  if: '$hasToRepeatCurQuestion'=='TRUE'
    call:askCurQuestionAgain
  fi:
endwhile:
end:

; -----

function:askCurQuestionAgain
  show:That is not correct, I will ask you again.
  button:I'm sorry, Runa
  assign:questionsAsked:$questionsAsked-1
  assign:hasToRepeatCurQuestion:'FALSE'
  assign:thisIsTheRepetition:'TRUE'
  call:askCurQuestionOnce
  if: '$hasToRepeatCurQuestion'=='TRUE'
    call:failedTheTask
  fi:
  assign:thisIsTheRepetition:'FALSE'
end:

; -----

function:justButtonDone
  wait:1
  button:Done
end:

; -----

function:buttonDone
  assign:startTime:TIMENOW
  call:justButtonDone
  assign:strokeDuration:Math.ceil((TIMENOW-$startTime)/1000)
  if: $strokeDuration < 8
    call:didNotDoAllStrokes
  fi:
end:

; -----

function:didNotDoAllStrokes
  peerreview:false
  assign:delayedMessageText:'I am very disappointed, SNAME. You have
embarrassed me in front of Runa. If I lend you out to somebody, you have to
follow all of their commands like they were given by myself. I have
scheduled a punishment for your you!'
  if:('DNAME'=='Jennifer')
```

```

    dmsg:0:Jennifer:$delayedMessageText
    dtask:0:Jennifer:punishment_for_not_following_an_order:672
  fi:
  if:('DNAME'=='Natasha')
    dmsg:0:Natasha:$delayedMessageText
    dtask:0:Natasha:punishment_for_not_following_an_order:672
  fi:
  if:('DNAME'=='James')
    dmsg:0:James:$delayedMessageText
    dtask:0:James:punishment_for_not_following_an_order:672
  fi:
  ;
  image:taskimg/sets/runa/runa_blue_bikini33.jpg
  if: FEMALE
    show:I've ordered you to rub your pussy for 30 seconds, but you only
took $strokeDuration seconds! You were obviously not following my orders. I
will report this to your DTITLE, let's see how $she1 feels about it.
    else:
    show:You took $strokeDuration seconds to stroke your cock $strokes
times? I've ordered you to do full strokes at medium speed, you were
obviously not following my orders. I will report this to your DTITLE, let's
see how $she1 feels about it.
    fi:
    button:I'm sorry, Runa
    log:The slave cheated during this task. Thus a punishment task was
automatically added to the tasks in TODO for this slave. Since the slave
will already be punished, DON'T give a low rating because of this. Just one
less than the default should be enough.
    goto:endoftask
end:

; -----

function:failedTheTask
  peerreview:false
  assign:delayedMessageText:'I am very disappointed, SNAME. You have
embarrassed me in front of Runa. If I lend you out to somebody, you will
show them the same respect as you show to me. I have scheduled a punishment
for your disrespect!'
  if:('DNAME'=='Jennifer')
    dmsg:0:Jennifer:$delayedMessageText
    dtask:0:Jennifer:Punishment_for_disrespect:672
  fi:
  if:('DNAME'=='Natasha')
    dmsg:0:Natasha:$delayedMessageText
    dtask:0:Natasha:Punishment_for_disrespect:672
  fi:
  if:('DNAME'=='James')
    dmsg:0:James:$delayedMessageText
    dtask:0:James:Punishment_for_disrespect:672
  fi:

```

```

;
image:taskimg/sets/runa/runa_blue_bikini33.jpg
show:I already told you that this is not the correct answer. This is very
disrespectful of you, SNAME. I will have to report this to your DTITLE,
let's see how $shel feels about this.
button:I'm sorry, Runa
log:The slave was disrespectful during this task. Thus a punishment for
disrespect was automatically added to the tasks in TODO for this slave.
Since the slave will already be punished, DON'T give a low rating because of
this.
goto:endoftask
end:

; -----

function:cameWithoutPermission
peerreview:false
assign:delayedMessageText:'Do you think its ok to cum without permission?
I am very disappointed, SNAME. You have embarrassed me in front of Runa. I
have scheduled a punishment for cumming without permission for you!'
if:('DNAME'=='Jennifer')
dmsg:0:Jennifer:$delayedMessageText
dtask:0:Jennifer:Punishment_for_Cum:672
fi:
if:('DNAME'=='Natasha')
dmsg:0:Natasha:$delayedMessageText
dtask:0:Natasha:Punishment_for_Cum:672
fi:
if:('DNAME'=='James')
dmsg:0:James:$delayedMessageText
dtask:0:James:Punishment_for_Cum:672
fi:
;
image:taskimg/sets/runa/runa_blue_bikini33.jpg
show:That's not good, SNAME. I have to tell DTITLE DNAME that you came
without permission. And $shel's probably going to punish you for this. Thank
me, for telling this to your DTITLE!
button:Thank you, Runa
log:The slave wasn't allowed to cum during this task, but admitted to
having cum anyway. Thus a punishment for cumming without permission was
automatically added to the tasks in TODO for this slave. Since the slave
will already be punished, DON'T give a low rating because of this.
goto:endoftask
end:

;=====
;===== start of the task =====
;=====
image:taskimg/sets/runa/runa_blue_bikini1.jpg
show:Hey SNAME, it's me, Runa! I want to make sure that you understand what
it means to be a slave, so I will ask a couple of questions to you.

```

```
button:Yes, Runa
call:askQuestionsUntilMax
image:taskimg/sets/runa/runa_blue_bikini59.jpg
if: FEMALE
  show:That's enough, slave. I hope you've learned something. See you soon,
  bitch.
  button:Yes, Runa
else:
  show:That's enough, slave. I hope you did not cum during this session?
  choice:I came,I did not cum
  if: LASTASK == 1
    call:cameWithoutPermission
  else:
    show:Very good, slave. I feel, I've been really nice to you during this
    session. So next time we meet, I will torture you to make up for this. See
    you soon, bitch.
    button:Thank you, Runa
    log:The slave has answered all questions correctly, please give a
    standard rating.
  fi:
fi:
label:endoftask
```

From:

<https://play-link.com/wiki/> - **PlayLink**

Permanent link:

https://play-link.com/wiki/doku.php?id=tasks:questions_1



Last update: **2020/06/30 22:17**