

```

Title:slave_mathematics
Sex: Female T Male T Trans T
Require:
Limits:
;mathematics examination for a slave
;
;a slave has a mathematics examination, the slave is asked 10 mathematical
questions it must answer correctly and within time
;
;turn peerreview off for the moment
peerreview:false
;
use:gen
;
;----- Variables -----
;
;Selected Mistress/Master
if:('DNAME'=='Jennifer')
    assign:domme:'Jennifer'
fi:
if:('DNAME'=='Natasha')
    assign:domme:'Natasha'
fi:
if:('DNAME'=='James')
    assign:domme:'James'
fi:
;
;Question was already asked, reroll choice question
assign:Q_selected:false
;The number of the active question
assign:Q_number:0
;How many questions have already been asked
assign:Q_Answered:0
;Correctly answered questions
assign:Score:0
;What is the maximum number of asked questions
assign:Q_Maximum:10
;How many questions must be answered correctly
assign:Required_Score:0
;The total amount of available questions
assign:Q_Total:30
;Current time
assign:T_now:TIMENOW
;The end time
assign:T_end:0
;How much time is available
assign:T_minutes:0
;Is there still time left
assign:T_OK:true
;
;----- start task -----

```

```
;----- intro -----  
;  
log:Task description. The slave has a mathematics examination where it must  
answer 10 mathematical questions within a set time limit.  
;  
;  
image:taskimg/backgrounds/Bedroom_1.jpg  
image2:taskimg//Default/$domme_Whip.png  
;  
show:Listen up, sissy. I have a new task for you, and it's going to be a  
real test of your pathetic little brain.  
wait:5  
show:I'm going to ask you a series of math questions to see if you can  
handle even the most basic skills.  
wait:5  
show:Fail to impress me, and there will be consequences.  
button:Gulp  
show:Before we begin your pathetic little math test, there are some  
preparations you need to make.  
button:Yes DTITLE  
;  
;Chastity  
if:(INCHASTITY)  
    log:Slave is in chastity  
else:  
    call:PrepRoll  
    if:(L_CHASTITY> 2 && PrepRoll > 50)  
        log:Slave is in chastity.  
        show:First, put on your chastity cage. <br>I want to ensure that your  
worthless cock is locked up tightly, completely out of reach and control, to  
remind you of your place.  
        button:Caged  
    fi:  
fi:  
;  
;Nipple clamps  
call:PrepRoll  
if:(T_NIPPLECLAMPS && PrepRoll > 50)  
    log:Slave wears nippleclamps.  
    show:Attach nipple clamps to those tender nipples of yours.<br> I want you  
to feel a constant, biting reminder of your servitude as you try to  
concentrate on the test.  
    button:Nipple clamps on  
fi:  
;  
;Sissy  
call:PrepRoll  
if:(L_SISSY >3 && PrepRoll > 50)  
    log:Slave is wearing something sissy. (garter belt, bra, stockings, ...)  
    show:Dressing in sissy clothing might incentivize me to ask easier  
questions, but then again, maybe not. <br>Put on your sissy clothing.
```

```
button:Dressed sissy
fi:
;
;Gag
call:PrepRoll
if:(T_GAG && PrepRoll > 50)
  log:Slave is wearing a gag.
  show:Slave, you will remain silent during the test. Wear a gag.
  button:Gagged
fi:
;
;Picture before start
show:Slave, before we begin, I'm going to take a picture of you in your
current outfit.<br>Present yourself kneeling with legs spread, hands on
knees and back straight.
button:Picture (wait 10)
log:Picture before start of the test. Slave is kneeling with legs spread,
hands on knees and back straight in picture below with items described
above.
wait:10
;cam
sound:cam.mp3
;Difficulty choice for the questions
show:You will have a set amount of time to answer 10 questions. <br>If you
take 5 minutes, you must get at least 7 questions correct. <br>If you take 6
minutes, you must answer at least 9 questions correctly. <br>So, what will
it be, slave?
choice:5 min, 6 min
if:(LASTASK == 1)
  assign:T_minutes:5
  assign:Required_Score:7
  assign:timebar:15
  assign:time_procent:7
fi:
if:(LASTASK == 2)
  assign:T_minutes:6
  assign:Required_Score:9
  assign:timebar:20
  assign:time_procent:5
fi:
;
show:Everything is set for the test. Don't disappoint me. Are you ready for
the first question? <br>And don't slack, slave, time is ticking.
button:Ready DTITLE
;Chosen amount of minutes after start of the questions, this is the endtime
assign:T_end:TIMENOW + (60000 * $T_minutes)
;
;loop until 10 questions are asked and time is not finished
while:($Q_Answered < $Q_Maximum) && (T_OK)
  ;Select the question
  call:Select_Question
```

```
;Check if the question is not asked before
if:(Q_Asked)
  ;Question is asked, reset
  assign:Q_Asked:false
  ;A question has been succesfully asked
  assign:Q_Answered:$Q_Answered +1
  ;Check remaining time
  call:Time
fi:
endwhile:
;
;All questions are asked or time ended
if:($Q_Maximum == 10)
  ;10 questions answered
  show:You've managed to stumble through 10 questions. <br>Now, are you just
  dying to know your score?
  button:Yes DTITLE
  show:Well, slave, let's see how many you got right. Try not to squirm too
  much while I count.
  wait:5
  show:Still counting ...
  wait:5
  show:Your score isn't looking very promising, I must say.
  button:Gulp
  call:Score
else:
  ;less then 10 questions answered, out of time
  show:Slave, your slow response to those questions was disappointing. You
  failed to perform within the given time frame. <br>You absolutely suck at
  mathematics.'
  button:Sorry DTITLE
  show:Perhaps you're better suited for sucking at something else entirely.
  button:Yes DTITLE
  ;punishment for failing
  call:Failed
fi:
;
;Ending task
show:You may leave now SNAME
button:Bye DTITLE
;
;----- End of task -----
;
;----- Functions -----
;
function:Select_Question
  ;Select the possible question
  assign:Q_number:Math.floor((Math.random() * $Q_Total) + 1)
  ;Going to the selected question
  call:Question_$Q_number
end:
```

```

;
;----- Asking question -----
;The actual asking of the question and checking the answer
;
function:Asking_Question
;
show:$question
;TimeBar
loop:$timebar
  showbar:(LOOPVAR * $time_procent)
  wait:1
endloop:
hidebar:
;Answer from the slave
asknumber:What is your answer slave?
;Check if the answer is correct
if:(LASTASK == $Q_Answer)
  show:<h2>Correct
  ;Answer correct and score adjusted
  assign:Score:$Score +1
  wait:3
else:
  ;Answer wrong
  show:<h2>Wrong
  wait:3
fi:
end:
;
;----- PrepRoll -----
;Decoration of the slave before the actual math
;
function:PrepRoll
;Different rolls for decoration
assign:PrepRoll:Math.floor((Math.random() * 100) + 1)
end:
;
;-----Failed -----
;Slave didn't score enough points or out of time and is punished
;
function:Failed
;
show:Slave, get a piece of paper and a pen. <br>Write on it, 'May I suck
you?'.
button:Yes DTITLE
show:Get on your knees, now. Present yourself with the piece of paper,
displaying it for everybody to see. Ready for the picture?
log:Slave kneeling holding a piece of paper that reads 'May I suck you?'
;Take picture until satisfied and then publish
call:genTakePictureUntilSatisfied
;expose:chosenPicture
wait:2

```

```
    exptext:This slave sucks at math, perhaps it can find something else to
suck.
;
end:
;
;----- Time -----
;
function:Time
;
;Check remaining time
if:($T_end > TIMENOW)
;Calculate remaining time
assign:T_remain: ($T_end - TIMENOW)/ 1000
if:($T_remain < 60)
;Less then 60 seconds left
speak:Less then 1 minute
fi:
else:
;Time is up
speak:Times up
assign:T_OK:false
fi:
;
end:
;
;----- Score -----
;
function:Score
;
;Checking the score
if:($Score < $Required_Score)
;Bad score and slave is punished
show:Well, slave, congratulations on managing to fail such a simple
mathematics test with only $Score correct answers.
button:Sorry DTITLE
show:Slave, you absolutely suck at mathematics.<br> Perhaps you're
better suited for sucking at something else entirely.
button:Yes DTITLE
;punishment for failing
call:Failed
else:
;Good score
show:I'm actually impressed, slave. You managed to score $Score points.
button:Thank you DTITLE
fi:
end:
;
;----- The questions -----
;
;Assign question: The actual question
;Assign Q_Answer: The answer of the question
```

```

;Assign Q_xx: The selected question is marked as asked to prevent asking the
same question again
;Assign Q_Asked: A question has been asked this task
;
;-----
;
function:Question_1
  if:('$Q_01' != 'ASKED')
    ;New question, not asked before
    assign:question:'If you dare to do that again, you can forget about
getting out of your chastity cage for five weeks! DTITLE DNAME snaps
angrily. <br>How many days will SNAME remain in chastity if he disappoints
his DTITLE?'
    assign:Q_Answer:35
    call:Asking_Question
    assign:Q_01:'ASKED'
    assign:Q_Asked:true
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_2
  if:('$Q_02' != 'ASKED')
    ;New question, not asked before
    assign:question:'DTITLE DNAME has decreed that SNAME will remain in
chastity for a total of fourteen days after his last climax. <br>Since it is
only been six days so far, how many more days must SNAME endure before he
can enjoy an erection?'
    assign:Q_Answer:8
    call:Asking_Question
    assign:Q_02:'ASKED'
    assign:Q_Asked:true
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_3
  if:('$Q_03' != 'ASKED')
    ;New question, not asked before
    assign:question:'A submissive man knows his DTITLE is in charge,
especially when he is made to wear a longline brassière. <br>How many
letters are in <h3>longline brassière</h3>?'
    assign:Q_Answer:17

```

```

    call:Asking_Question
    assign:Q_03:'ASKED'
    assign:Q_Asked:true
else:
    ;Question is already asked
    assign:Q_Asked:false
fi:
end:
;-----
;
function:Question_4
    if:('$Q_04' != 'ASKED')
        ;New question, not asked before
        assign:question:'When DTITLE DNAME finally releases SNAME, from his
chastity belt, it takes him only one minute and forty-three seconds to make
a mess. <br>Can you count how many humiliating seconds that is?'
        assign:Q_Answer:103
        assign:Q_04:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;-----
;
function:Question_5
    if:('$Q_05' != 'ASKED')
        ;New question, not asked before
        assign:question:'Instead of boxer shorts or briefs, SNAME has seven
pairs of delicate white cotton panties and five pairs of pretty pink cotton
panties. <br>How many pairs of degrading cotton panties does this sissy have
in total?'
        assign:Q_Answer:12
        assign:Q_05:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_6
    if:('$Q_06' != 'ASKED')
        ;New question, not asked before
        assign:question:'While SNAME amuses his DTITLE by sucking her dildo, he

```



```

flaunts his collection of lipsticks! He has three different shades of pink
and seven different shades of red. <br>How many sinful colors can his lips
adorn?'
    assign:Q_Answer:10
    assign:Q_06:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
else:
    ;Question is already asked
    assign:Q_Asked:false
fi:
end:
;
;-----;
;
function:Question_7
    if:('$Q_07' != 'ASKED')
        ;New question, not asked before
        assign:question:'If a bottle of dishwashing liquid contains five hundred
millilitres of liquid, and SNAME buys three bottles at the supermarket.
<br>How many millilitres does he take home? '
        assign:Q_Answer:1500
        assign:Q_07:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
;
function:Question_8
    if:('$Q_08' != 'ASKED')
        ;New question, not asked before
        assign:question:'Naughty sissy SNAME deserves a proper spanking. If his
DTITLE decides to administer twelve sets of six strokes each with her paddle
while he bends over the chair. <br>How many times will it strike his bare
bottom?'
        assign:Q_Answer:72
        assign:Q_08:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;

```

```
;-----  
;  
function:Question_9  
  if:('$Q_09' != 'ASKED')  
    ;New question, not asked before  
    assign:question:'When DTITLE DNAME finally grants him release from his  
chastity belt, it takes SNAME just one minute and thirty two seconds to make  
a mess onto the licking-up plate. <br>How many seconds is that?'  
    assign:Q_Answer:92  
    assign:Q_09:'ASKED'  
    assign:Q_Asked:true  
    call:Asking_Question  
  else:  
    ;Question is already asked  
    assign:Q_Asked:false  
  fi:  
end:  
;  
;-----  
;  
function:Question_10  
  if:('$Q_10' != 'ASKED')  
    ;New question, not asked before  
    assign:question:'Handling the laundry, SNAME uses two pegs for each of  
his DTITLE delicate blouses. With seven blouses washed this morning. <br>How  
many pegs are dedicated solely to this part of the chore?'  
    assign:Q_Answer:14  
    assign:Q_10:'ASKED'  
    assign:Q_Asked:true  
    call:Asking_Question  
  else:  
    ;Question is already asked  
    assign:Q_Asked:false  
  fi:  
end:  
;  
;-----  
;  
function:Question_11  
  if:('$Q_11' != 'ASKED')  
    ;New question, not asked before  
    assign:question:'SNAME DTITLE is freezing SNAME his cum because she  
wants to see him with ten loads in his mouth like a whore. <br>If he  
produces an unimpressive 4.8ml each time, how many millilitres will he have  
to gulp down in total?'  
    assign:Q_Answer:48  
    assign:Q_11:'ASKED'  
    assign:Q_Asked:true  
    call:Asking_Question  
  else:  
    ;Question is already asked
```

```

    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_12
  if:('$Q_12' != 'ASKED')
    ;New question, not asked before
    assign:question:'Hand-washing last weeks lingerie, SNAME carefully
rinses a total of nine white brassières, worn by both him and his
DTITLE.<br> If six of these brassières belong to SNAME, how many belong to
his DTITLE?'
    assign:Q_Answer:3
    assign:Q_12:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_13
  if:('$Q_13' != 'ASKED')
    ;New question, not asked before
    assign:question:'Slave SNAME can only manage the first eight inches of
his DTITLE ten-inch dildo in his mouth. <br>How many inches stick out from
his lips before he begins to choke?'
    assign:Q_Answer:2
    assign:Q_13:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_14
  if:('$Q_14' != 'ASKED')
    ;New question, not asked before
    assign:question:'Making her slave beg for mercy, SNAME his DTITLE slides
her hand up and down his throbbing manhood twenty times in a minute. <br>How
many seconds does she pause between each stroke?'
    assign:Q_Answer:3
    assign:Q_14:'ASKED'

```

```
    assign:Q_Asked:true
    call:Asking_Question
else:
    ;Question is already asked
    assign:Q_Asked:false
fi:
end:
;
;-----
;
;
function:Question_15
    if:('$Q_15' != 'ASKED')
        ;New question, not asked before
        assign:question:'Despite the weather forecast suggesting a thirty
percent chance of rain in the morning, SNAME must still hang out the
laundry.<br>What is the percentage probability that it will stay dry?'
        assign:Q_Answer:70
        assign:Q_15:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_16
    if:('$Q_16' != 'ASKED')
        ;New question, not asked before
        assign:question:'SNAME his humiliation peaks as he lifts his skirt,
revealing his panties to his DTITLE her friends, a task he finds utterly
embarrassing. <br>How many letters are there in the word
<h3>embarrassing?</h3>'
        assign:Q_Answer:12
        assign:Q_16:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_17
    if:('$Q_17' != 'ASKED')
        ;New question, not asked before
```

```

    assign:question:'If SNAME purchases five boxes of pantyliners, each
containing fifty-four pantyliners. <br>How many pantyliners will he bring
back to his DTITLE?'
    assign:Q_Answer:270
    assign:Q_17:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
else:
    ;Question is already asked
    assign:Q_Asked:false
fi:
end:
;
;-----
;
function:Question_18
    if:('$Q_18' != 'ASKED')
        ;New question, not asked before
        assign:question:'SNAME has earned himself forty-eight hours in a tight
punishment corset. <br>If he must endure wearing it for twelve agonizing
hours each day, how many days of suffering will it take for him to complete
his punishment?'
        assign:Q_Answer:4
        assign:Q_18:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_19
    if:('$Q_19' != 'ASKED')
        ;New question, not asked before
        assign:question:'Whenever SNAME his DTITLE discovers even the slightest
flaw in his cleaning, she adds twenty minutes to his cornertime. <br>If she
finds eight faults, how many minutes will SNAME be forced to face the wall?'
        assign:Q_Answer:160
        assign:Q_19:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----

```

```
;
function:Question_20
  if:('$Q_20' != 'ASKED')
    ;New question, not asked before
    assign:question:'SNAME his DTITLE has brought out two vibrators to enjoy
herself while SNAME kneels in front of her. The smaller one measures five
inches in length, while the larger of the two is three inches longer.
<br>How long is the second vibrator?'
    assign:Q_Answer:8
    assign:Q_20:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_21
  if:('$Q_21' != 'ASKED')
    ;New question, not asked before
    assign:question:'Sissy maid SNAME has been ordered to clean the house.
<br>If there are eleven rooms in total, but SNAME has only cleaned seven of
them so far, how many more rooms does he still need to clean?'
    assign:Q_Answer:4
    assign:Q_21:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_22
  if:('$Q_22' != 'ASKED')
    ;New question, not asked before
    assign:question:'Each slice of the cake SNAME baked for his DTITLE her
friends contains two hundred and fifty calories. <br>How many calories are
in the half-slice that his DTITLE allows him to eat?'
    assign:Q_Answer:125
    assign:Q_22:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
```

```

    assign:Q_Asked:false
  fi:
end:
;
;-----
;
;
function:Question_23
  if:('$Q_23' != 'ASKED')
    ;New question, not asked before
    assign:question:'As part of his punishment, SNAME must walk up and down
the apartment five times. <br>If the hallway measures one hundred feet to
the end and back, how many feet must he stagger in his stilettos?'
    assign:Q_Answer:500
    assign:Q_23:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_24
  if:('$Q_24' != 'ASKED')
    ;New question, not asked before
    assign:question:'SNAME his current chore is to vacuum a carpet that is
six feet wide and seven feet long. <br>How many square feet does SNAME need
to vacuum before he can move on to his next task?'
    assign:Q_Answer:42
    assign:Q_24:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_25
  if:('$Q_25' != 'ASKED')
    ;New question, not asked before
    assign:question:'Dressed as a girl, SNAME is being punished by writing
lines. If DTITLE DNAME has ordered him to write <br><h3> I must not answer
back </h3> <br>one hundred times, how many words will he write in total?'
    assign:Q_Answer:500
    assign:Q_25:'ASKED'

```

```
    assign:Q_Asked:true
    call:Asking_Question
else:
    ;Question is already asked
    assign:Q_Asked:false
fi:
end:
;
;-----
;
function:Question_26
    if:('$Q_26' != 'ASKED')
        ;New question, not asked before
        assign:question:'Dressed in a girly uniform, SNAME struggles to finish
his mathematics examination. If the examination has one hundred questions
and SNAME is only able to answer eighty-four of them, how many does he
miss?'
        assign:Q_Answer:16
        assign:Q_26:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_27
    if:('$Q_27' != 'ASKED')
        ;New question, not asked before
        assign:question:'How many times can the feminized maid SNAME afford to
snag his sheer nylons if he wants his legs to look flawless?'
        assign:Q_Answer:0
        assign:Q_27:'ASKED'
        assign:Q_Asked:true
        call:Asking_Question
    else:
        ;Question is already asked
        assign:Q_Asked:false
    fi:
end:
;
;-----
;
function:Question_28
    if:('$Q_28' != 'ASKED')
        ;New question, not asked before
        assign:question:'Last month, SNAME his DTITLE experienced eighteen
orgasms, while SNAME was only allowed three. <br>How many orgasms did his
```



```

DTITLE enjoy for each one of his?'
  assign:Q_Answer:6
  assign:Q_28:'ASKED'
  assign:Q_Asked:true
  call:Asking_Question
else:
  ;Question is already asked
  assign:Q_Asked:false
fi:
end:
;
;-----
;
function:Question_29
  if:('$Q_29' != 'ASKED')
    ;New question, not asked before
    assign:question:'Twenty-one days might feel like an eternity to be
locked in chastity, but it is only a few weeks. <br>How many weeks has
DTITLE DNAME kept SNAME denied?'
    assign:Q_Answer:3
    assign:Q_29:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;
function:Question_30
  if:('$Q_30' != 'ASKED')
    ;New question, not asked before
    assign:question:'SNAME his DTITLE cruelly teases him for precisely seven
minutes before granting him the humiliating release of squirting onto the
lick-up plate. <br>How many agonizing seconds of her wicked stroking must
SNAME endure before he can finally ejaculate?'
    assign:Q_Answer:420
    assign:Q_30:'ASKED'
    assign:Q_Asked:true
    call:Asking_Question
  else:
    ;Question is already asked
    assign:Q_Asked:false
  fi:
end:
;
;-----
;

```

;

From:

<https://play-link.com/wiki/> - **PlayLink**

Permanent link:

https://play-link.com/wiki/doku.php?id=tasks:slave_mathematics



Last update: **2025/02/09 18:24**