

```
Title:Speech
Sex: Female T Male T Trans T
Require:
Limits:
;New Task by Lorenz
;How to use this script:
;Search for YOUR INPUT and change the values you want changing. Default
values will produce a working script.
;In this script you can change
;-Speech (randomized)
;-Images (randomized)
;
;DESIGN
;Show an image. You can specify your images in the function:RandomImage
call:RandomImage
;We need some sort of wait to initialize the script
waitm:50
;Script structure
;
;CONFIGURATION
;
;COUNTER
;
;SLAVE GREETES SUPERIOR PROTOCOL - this is also used to seamlessly test if
the camera and the audio are working.
settemp9:'Strip naked.'
settemp6:1
call:WhoSpeaks
button:Naked, DTITLE DNAME
;
call:RandomImage
;
;SYSTEMCHECK
settemp9:'Make sure your volume is turned up.'
settemp6:2
call:WhoSpeaks
button:Yes, DTITLE DNAME
;
label:cam_check
call:TestCam
;
call:RandomImage
;
settemp9:'Kneel in full camera view, slave.'
settemp6:3
call:WhoSpeaks
button:Yes, DTITLE DNAME
;
call:RandomImage
;
call:AlternateGreeting
```

```
;
;START INSTRUCTION FOR TASK
;
;SETUP ROOM FOR TASK
;
;GET IN POSITION
;
;REMINDER OF INSTRUCTION
;
;START OF TASK WITH LABEL (BOOKMARK) to allow us to return to this point.
label:start
;
;EVALUATION OF TASK
;
;APPLYING PRESSURE to repeat task if the outcome wasn't to satisfaction
;
;ATTACH CONSEQUENCES
;Set/Add denial
;Set/Add chastity
;Set Mood
;
;NEXTTASK - set the next task if desired
;
;DISMISSAL
;
;SLAVE LEAVES SUPERIOR PROTOCOL
;
show:You are done.
call:RandomImage
button:Thank You, DTITLE DNAME
;
;SETUP FUNCTIONS
function:TestCam
    label:retest_cam
    setupdiff:
        if:((BRIGHTNESS == 0) && (CONTRAST == 0))
            settemp9:'I am not seeing your webcam. Are you sure your camera
is on?'
            settemp6:5
            call:RandomImage
            call:WhoSpeaks
            button:Fixed, DTITLE DNAME
            goto:retest_cam
        fi:
        if:(BRIGHTNESS < 30)
            settemp9:'The image is a bit dark, how about turning a light
on?'
            settemp6:4
            call:WhoSpeaks
            button:Fixed, DTITLE DNAME
            goto:retest_cam
```

```

        fi:
        if:(CONTRAST < 30)
            settemp9:'Is something covering your camera? My picture is
pretty bad.'
            settemp6:5
            call:WhoSpeaks
            button:Fixed, DTITLE DNAME
            goto:retest_cam
        fi:
end:
function:RandomImage
;YOUR INPUT: How many random images are there?
settemp9:8
;Randomizer
settemp9:Math.floor((Math.random() * TEMP9) + 1)
;YOUR INNPOT: Change each image url after image:
    if:(TEMP9==1)
        image:taskimg/teacher1.jpg
    fi:
    if:(TEMP9==2)
        image:taskimg/teacher2.jpg
    fi:
    if:(TEMP9==3)
        image:taskimg/teacher3.jpg
    fi:
    if:(TEMP9==4)
        image:taskimg/teacher4.jpg
    fi:
    if:(TEMP9==5)
        image:taskimg/teacher5.jpg
    fi:
    if:(TEMP9==6)
        image:taskimg/teacher6.jpg
    fi:
    if:(TEMP9==7)
        image:taskimg/teacher7.jpg
    fi:
    if:(TEMP9==8)
        image:taskimg/teacher8.jpg
    fi:
end:
;
;if there is no sub input, change the image every minute.
function:RandomImageWhileWait
;YOURINPUT:how many times should the image change?
loop:3
    call:RandomImage
    ;YOURINPUT: how many seconds before the image changes
    wait:60
endloop:
end:

```

```

function:AlternateGreeting
;Set Gender
call:Gender
settemp8:'TEMP9'
;YOUR INPUT: Set the randomizer maximum value
settemp9:20
call:RandomNumber
;Reset temp6
settemp6:0
;YOUR INPUT: change the sentence to show and speak in settemp7 and the
wait time in TEMP6. To address the sub by gender, use TEMP8. E.g. You are a
good TEMP8
    if:(TEMP9<=1)
        settemp7:'Well, well, well... You have returned.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        ;Use the bar above to measure how many seconds speaking the text
above will last and enter value in temp6 below
        settemp6:4
    fi:
    if:(TEMP9==2)
        settemp7:'You are back, you naughty little TEMP8.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        settemp6:4
    fi:
    if:(TEMP9==3)
        settemp7:'Hello, my little slut.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        settemp6:3
    fi:
    if:(TEMP9==4)
        settemp7:'Look who is there. It is my little bitch.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        settemp6:4
    fi:
    if:(TEMP9==5)
        settemp7:'Welcome back, my little cum-bucket.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        settemp6:4
    fi:
    if:(TEMP9==5)
        settemp7:'Hi cupcake.'

```

```

;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:2
fi:
if:(TEMP9==6)
    settemp7:'You know why you are here and you know who is in
control.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:5
fi:
if:(TEMP9==7)
    settemp7:'Oh, good. I see you brought my squeeze toys.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:4
fi:
if:(TEMP9==8)
    settemp7:'Hey there, sweet-cheeks.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:3
fi:
if:(TEMP9==9)
    settemp7:'Well hello there, TEMP8! You seem to have stumbled
upon me at the perfect moment. I could use a little squeeze toy.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:8
fi:
if:(TEMP9==10)
    settemp7:'Good. You are here. I have been expecting you.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:4
fi:
if:(TEMP9==11)
    settemp7:'I hope you are ready for this slut.'
;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:4
fi:
if:(TEMP9==12)
    settemp7:'Hello, slave.'

```

```

;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:2
    fi:
    if:(TEMP9==13)
        settemp7:'Look what the cat dragged in.'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
        settemp6:3
        fi:
        if:(TEMP9==14)
            settemp7:'Hey there, cupcake.'
            ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
            settemp6:3
            fi:
            if:(TEMP9==15)
                settemp7:'Hi Sweetie.'
                ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
                settemp6:2
                fi:
                if:(TEMP9==16)
                    settemp7:'Hello my little slave.'
                    ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
                    settemp6:3
                    fi:
                    if:(TEMP9==17)
                        settemp7:'Did you miss me, slave?'
                        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
                        settemp6:3
                        fi:
                        if:(TEMP9==18)
                            settemp7:'Here comes trouble.'
                            ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
                            settemp6:3
                            fi:
                            if:(TEMP9==19)
                                settemp7:'So you wanna be dominated some more, you dirty little
piglet?'
                                ;waitsec---1-----2-----3-----

```

```

-4-----5-----6-----7-----8--
-----9
    settemp6:5
    fi:
    if:(TEMP9>=20)
        settemp7:'Back for more?'
        ;waitsec---1-----2-----3-----
-4-----5-----6-----7-----8--
-----9
    settemp6:2
    fi:
    ;Store TEMP7 language in TEMP9
    settemp9:'TEMP7'
;
    ;speak and show text on screen
    call:WhoSpeaks
    button:Ready to serve, DTITLE DNAME.
end:
function:RandomNumber
    settemp9:Math.floor((Math.random() * TEMP9) + 1)
end:
function:WhoSpeaks
    ;Speak the sentence
    if:('DNAME'=='Jennifer')
        speakjen:TEMP9
    fi:
    if:('DNAME'=='Nathalie')
        speaknat:TEMP9
    fi:
    if:('DNAME'=='James')
        speakjames:TEMP9
    fi:
    ;show the sentence on screen
    show:TEMP9
    ;wait before speaking next sentence
    if:(TEMP6==0)
        ;if nothing entered default to 3
        wait:3
    fi:
    if:(TEMP6>0)
        ;set time to user defined value
        wait:TEMP6
    fi:
end:
function:Sex
    ;sub is genetically male
    if:(!FEMALE)
        settemp9:'little boy clitty'
    fi:
    ;sub is genetically female
    if:(FEMALE)

```

```
        settemp9: 'fuck hole'
    fi:
end:
;
function: Gender
; Identify mostly as 1= Man 5 = Woman
    if: (S_IDENTIFY == 1)
        settemp9: 'boy'
    fi:
    if: (S_IDENTIFY == 2)
        settemp9: 'boy'
    fi:
    if: (S_IDENTIFY == 3)
        settemp9: 'slave'
    fi:
    if: (S_IDENTIFY == 4)
        settemp9: 'girl'
    fi:
    if: (S_IDENTIFY == 5)
        settemp9: 'girl'
    fi:
end:
;
function: SexualOrientation
; How much like women 1 = no 2 = a bit 3 = a lot
    if: (S_LIKE_W > 1)
        settemp9: 'worship pussy'
    fi:
    if: (S_LIKE_M > 1)
        settemp9: 'crave cock'
    fi:
    if: (S_LIKE_T > 1)
        settemp9: 'like transgender'
    fi:
end:
```

From:

<https://play-link.com/wiki/> - **PlayLink**

Permanent link:

<https://play-link.com/wiki/doku.php?id=tasks:speech>

Last update: **2018/05/06 19:43**

